



## Recent Advances in Mathematical Modeling of Reaction Kinetics: A Critical Review

Gaurav Varshney<sup>1\*</sup> • Tejendra K Gupta<sup>2</sup>

<sup>1</sup>Department of Mathematics, Sridev Suman Uttarakhand University, P.L.M.S. Campus Rishikesh, Dehradun, Uttarakhand, India

<sup>2</sup>Amity Institute of Applied Sciences, Amity University Uttar Pradesh, Sector-125, Noida, India

\*Corresponding Author Email id: [gauravdips@gmail.com](mailto:gauravdips@gmail.com)

Received: 08.10.2023; Revised: 18.06.2024; Accepted: 18.06.2024

©Society for Himalayan Action Research and Development

**Abstract:** Mathematical modeling plays a crucial role in understanding and predicting the behavior of chemical reactions. Over the years, there have been significant advancements in the field of reaction kinetics modeling, driven by advances in computational techniques and increased access to experimental data. This review critically provides a comprehensive overview of the recent developments in the mathematical modeling of reaction kinetics, focusing on key concepts, techniques, and applications. The review article also explores the traditional modeling approaches such as ordinary differential equations (ODEs) and partial differential equations (PDEs), as well as advanced techniques like stochastic modeling, network analysis, and machine learning. It discusses recent advancements in mechanistic modeling, data-driven modeling, and multi-scale modeling. Additionally, the review article presents case studies showcasing the practical applications of mathematical modeling in various fields. Finally, it concludes by summarizing the recent developments and highlighting the need for interdisciplinary collaboration to advance the field.

**Keywords:** reaction kinetics • mathematical modeling • mechanistic modeling • data-driven modelling • multiscale modelling • computational chemistry

### Introduction

**Overview of Reaction Kinetics:** Reaction kinetics is the branch of chemistry that deals with the study of the rates at which chemical reactions occur and the factors that influence these rates. It aims to understand and describe the mechanisms by which reactants transform into products, as well as the quantitative relationships between reactant concentrations and reaction rates. Chemical reactions are fundamental processes that drive the transformations of matter in the universe (Talanquer 2018; Salmi 2013). Understanding the rates at which reactions occur is crucial for various scientific and technological applications (Talanquer 2018). Reaction kinetics provides insights into the factors that control reaction rates, allowing scientists to optimize reaction conditions, design efficient chemical processes, develop new materials, and gain deeper insights into the

mechanisms of chemical reactions. The concept of reaction kinetics is based on the observation that the rate of a chemical reaction is not constant but varies with time. It is determined by the frequency and effectiveness of molecular collisions between reactant molecules, as well as the energy required to overcome the activation barrier for the reaction to proceed.

The study of reaction kinetics involves several key concepts and principles. These include the determination of reaction rates, the establishment of rate laws that relate the reaction rate to the concentrations of reactants, and the identification of reaction mechanisms that describe the sequence of elementary steps involved in a reaction. The rate of a reaction is typically expressed as the change in concentration of a reactant or product per unit time. Rate laws describe the mathematical relationship between the reaction rate and the concentrations of the reactants. They provide



valuable information about the order of the reaction and the role of each reactant in influencing the reaction rate (Talanquer 2018). Reaction mechanisms elucidate the step-by-step pathway through which reactants are transformed into products. They involve elementary reactions, which are individual molecular events that occur on a microscopic level. By understanding the reaction mechanism, scientists can gain insights into the intermediate species formed during the reaction and the rate-determining step that governs the overall reaction rate. Temperature plays a crucial role in reaction kinetics. Increasing the temperature generally leads to an increase in the reaction rate due to the greater kinetic energy of the molecules, resulting in more frequent and energetic collisions. The temperature dependence of reaction rates is quantitatively described by the Arrhenius equation, which relates the rate constant to the temperature and activation energy of the reaction (Vincenzo and Floriano 2020). Catalysts are substances that increase the rate of a reaction without being consumed in the process. They provide an alternative reaction pathway with a lower activation energy, enabling the reaction to proceed more rapidly. Catalysts are essential in various industrial processes and play a vital role in biological systems. Experimental techniques, such as continuous stirred tank reactors, spectroscopy, and kinetic modeling, are used to investigate reaction kinetics. These techniques allow for the measurement and analysis of reaction rates, determination of rate constants, identification of reaction intermediates, and prediction of reaction outcomes (Rudakov and Sobolev 2019).

In this critical review, we discuss the reaction kinetics is a fundamental field of study in chemistry that focuses on understanding the rates at which chemical reactions occur. It also provides insights into the factors that influence reaction rates, reaction mechanisms, temperature dependence, and the role of catalysts. By applying the principles of reaction

kinetics, scientists can optimize reactions and design efficient chemical processes in various scientific and technological domains.

### **Importance of Mathematical Modeling in Reaction Kinetics:**

Mathematical models provide a powerful tool for understanding and predicting the behavior of chemical reactions. They allow scientists to quantitatively describe complex reaction systems, explore the underlying mechanisms, and make predictions beyond the scope of experimental observations. The essential key reasons of mathematical modeling in reaction kinetics are the mechanistic insights, in which, mathematical models help uncover the mechanisms and pathways of chemical reactions by translating the known or hypothesized reaction steps into mathematical equations. These models provide a deeper understanding of the reaction dynamics, reaction intermediates, and transition states. (Coltrin et al 1984; Ichikawa and Miura 2007; Saouma et al 2015). Another reason is prediction and optimization, which enables the prediction of reaction outcomes under various conditions. By incorporating kinetic parameters, such as rate constants, into the models, researchers can simulate and optimize reaction conditions to achieve desired outcomes. This is particularly valuable in industries where reaction efficiency, yield, and selectivity are crucial, as it aids in process design and optimization (Varshney and Katiyar 2008; Safin et al 2016). Data analysis and parameter estimation facilitates the analysis of experimental data by providing a framework for parameter estimation. By fitting the model to experimental data, researchers can estimate unknown parameters, such as rate constants, and gain insights into the underlying kinetics, and help to validate the experimental observations, refine reaction mechanisms, and improve the accuracy of rate constants (Liu and Sumpter 2018; Jangara et al 2020). Extrapolation and interpolation in mathematical models allow for the extrapolation of reaction kinetics beyond the



range of experimental conditions. By understanding the functional dependencies of the rate equations, researchers can predict reaction rates at different temperatures, pressures, and concentrations. This extrapolation provides valuable insights into reaction behavior under extreme or inaccessible conditions (Ermolaev et al 2006; Khan et al 2022). Another key reason is design of experiments, which aids in the design of efficient experiments. By using models to simulate reactions, researchers can identify optimal conditions for experimentation, reducing the time and resources required. This approach allows for systematic exploration of reaction parameter space, leading to a more comprehensive understanding of reaction kinetics (Chudinova et al 2015; Kahyarian and Nestic 2020).

Multiscale and complex systems in mathematical models are crucial for tackling complex reaction systems involving multiple reactants, intermediates, and products. They enable the integration of different scales, from molecular-level interactions to macroscopic phenomena, providing a holistic view of the system. Models can capture spatial and temporal dynamics, allowing researchers to study phenomena like diffusion, mixing, and reaction kinetics in heterogeneous systems (Evje et al. 2009; Ivanov and Zverev 2017). Prediction of new reactions and design of new molecules in mathematical models can assist in predicting the feasibility and kinetics of new chemical reactions or the behavior of novel molecules. Through computational methods, researchers can simulate and explore the potential reactivity of different compounds, guiding the discovery of new reaction pathways and the design of molecules with desired properties (Yin et al. 1991; Tropin and Fedorov 2014).

Therefore, the mathematical modeling is of paramount importance in reaction kinetics. It enables mechanistic insights, prediction and optimization of reactions, data analysis and

parameter estimation, extrapolation and interpolation, design of experiments, and the study of complex and multiscale systems. Mathematical models are indispensable tools for advancing our understanding of reaction kinetics and accelerating progress in chemical research and industry (Zhang and Klapper 2010; Munck et al 2010; Ivanchina et al 2017; Martynenko and Zozulya 2022).

### Traditional Modeling Approaches

#### Ordinary Differential Equations (ODEs):

Ordinary Differential Equations (ODEs) play a fundamental role in mathematical modeling of reaction kinetics. ODEs are commonly used to describe the time evolution of reactant and product concentrations as a function of time. They provide a mathematical framework to represent the rates of change of species concentrations in a reaction system.

In reaction kinetics, ODEs are derived based on the law of mass action, which states that the rate of a chemical reaction is proportional to the product of the concentrations of the reacting species. The reaction rate is typically described by a rate equation that expresses the rate as a function of the reactant concentrations. The ODEs for reaction kinetics can take different forms depending on the nature of the reaction. Some common types of ODEs used in reaction kinetics include simple reaction systems. Simple elementary reactions involved a single step, the ODEs are often first-order or second order. For example, a first-order reaction has an ODE of the form:

$d[A]/dt = -k[A]$ , where  $[A]$  represents the concentration of the reactant A and  $k$  is the rate constant.

Solving the ODEs involves finding the time-dependent concentrations of the species involved in the reaction. Numerical methods, such as Euler's method, Runge-Kutta methods, or more sophisticated algorithms, are commonly used to solve the ODEs numerically and obtain the time-dependent concentration profiles. ODEs provide a quantitative



description of reaction kinetics, enabling predictions of reaction rates, time courses, and the effects of various parameters on the reaction behavior. They are valuable for studying the dynamics of reactions, optimizing reaction conditions, and understanding the underlying mechanisms.

In summary, ODEs are extensively used in mathematical modeling of reaction kinetics to describe the time evolution of reactant and product concentrations. They provide a powerful tool for understanding, predicting, and optimizing chemical reactions, and are widely employed in various fields, including chemical engineering, pharmaceuticals, environmental science, and catalysis.

**Partial Differential Equations (PDEs):** While Ordinary Differential Equations (ODEs) are commonly used in reaction kinetics, there are cases where Partial Differential Equations (PDEs) are employed for more complex systems or when spatial variations need to be considered. PDEs allow for the description of how concentrations change not only with time but also with respect to spatial variables.

In reaction kinetics, PDEs are particularly relevant in situations where diffusion, convection, or spatial heterogeneity play a significant role in the reaction dynamics. Some examples of the application of PDEs in reaction kinetics include diffusion reaction systems. PDEs are used to model reactions that occur in systems where diffusive transport of species is important. Diffusion reaction systems involve the simultaneous consideration of the reaction rates and the diffusion processes that transport reactants and products. The reaction terms in the PDEs account for the conversion of species, while the diffusion terms account for the spreading or mixing of the species in space.

Reaction diffusion systems are like diffusion reaction systems but emphasize the influence of reaction dynamics on the diffusive processes. Reaction-diffusion PDEs are used to model scenarios where the reaction rates are influenced by the local concentrations of the

reactants and products. They can describe phenomena such as pattern formation, chemical waves, and spatial self-organization. In spatially heterogeneous systems, the reaction kinetics can vary spatially due to variations in reactant concentrations, temperature, or catalyst distribution. PDEs allow for the inclusion of spatially varying parameters and the consideration of spatial gradients in reaction rates. This is particularly relevant in heterogeneous catalysis, where the catalyst surface may exhibit variations in reactivity across its area.

Solving PDEs in reaction kinetics often requires numerical methods due to the complexity of the equations. Finite difference methods, finite element methods, and finite volume methods are commonly employed to discretize the spatial domain and solve the resulting system of equations numerically. These methods provide approximate solutions that capture the spatial and temporal evolution of reactant concentrations. The use of PDEs in reaction kinetics allows for a more detailed understanding of reaction processes, considering spatial variations and transport phenomena. They provide insights into the behavior of reaction systems that cannot be fully captured by ODEs alone, particularly when spatial heterogeneity or diffusion processes are significant factors.

In summary, while ODEs are frequently used in reaction kinetics, PDEs are employed in more complex systems or when spatial variations and transport processes need to be considered. PDEs allow for the description of reaction dynamics in space and time, and their numerical solution provides valuable insights into the behavior of reaction systems, diffusion-reaction phenomena, and spatial patterns.

### **Advanced Modeling Techniques**

**Stochastic Modeling:** Stochastic modeling is a powerful approach used to study reaction kinetics when the system involves random events or when the reactant concentrations are



low, leading to discrete and probabilistic behavior. Unlike deterministic models based on ordinary differential equations (ODEs), stochastic models consider the inherent randomness in the reaction processes and provide a more detailed description of the system dynamics.

In stochastic modeling of reaction kinetics, the behavior of individual reactant molecules is explicitly simulated or described probabilistically. This approach is particularly relevant in situations where the numbers of reactant molecules are small, such as in cellular or nanoscale environments. It can capture the effects of molecular fluctuations, spatial heterogeneity, and intrinsic noise on the reaction kinetics.

There are several methods and frameworks used in stochastic modeling of reaction kinetics:

**Gillespie Algorithm:** The Gillespie algorithm, also known as the stochastic simulation algorithm (SSA), is a widely used method for simulating stochastic reaction kinetics. It simulates individual reaction events based on their probabilities, considering the reactant concentrations and rate constants. The Gillespie algorithm generates a stochastic trajectory that describes the time evolution of the reactant populations.

**Master Equation:** The master equation provides a probabilistic description of the time evolution of the reactant populations in a stochastic system. It describes the rate of change of the probability distribution of the reactant populations and incorporates the reaction rates and probabilities. Solving the master equation allows for the calculation of various statistical properties of the system, such as mean reaction times and steady-state distributions.

**Stochastic Differential Equations:** Stochastic differential equations (SDEs) extend deterministic ordinary differential equations to incorporate random fluctuations. They describe the continuous-time evolution of the system by

considering both deterministic dynamics and random noise. SDEs are often used when noise sources, such as thermal fluctuations or environmental variability, affect the reaction kinetics.

**Monte Carlo Simulations:** Monte Carlo simulations involve repeated random sampling to estimate the behavior of a stochastic system. In the context of reaction kinetics, Monte Carlo simulations can be used to generate stochastic trajectories by sampling reaction events based on their probabilities. These simulations provide statistical information about the reaction kinetics, such as the mean reaction rates or reaction probability distributions.

**Network Analysis:** Network analysis is a powerful tool used to study reaction kinetics by representing the reaction system as a network or graph. In this approach, the reactants, intermediates, and products of a chemical reaction are represented as nodes, while the chemical reactions themselves are represented as edges connecting the nodes. Network analysis provides a visual and quantitative framework for understanding and analyzing the complex relationships and dynamics within a reaction system.

Here are some key aspects of network analysis in the context of reaction kinetics:

**Reaction Network Representation:** The reaction network represents the connectivity between reactants, intermediates, and products in a chemical reaction system. Each node in the network corresponds to a chemical species, while the edges represent the chemical reactions that interconvert the species. The reaction network captures the stoichiometry and connectivity of the reactions and provides a graphical representation of the reaction system.

**Topological Analysis:** Network analysis allows for the study of the topology and structure of the reaction network. Various measures can be calculated, such as the degree of a node (number of connections), the clustering coefficient (indicating how densely interconnected the neighbourhood of a node is),



and the shortest paths between nodes. These measures provide insights into the connectivity patterns, reaction flow, and overall organization of the reaction system.

**Network Dynamics:** Network analysis can help unravel the dynamics of the reaction system by examining how the concentrations of the species change over time. By coupling the network representation with rate equations or kinetic models, it is possible to simulate the time evolution of the reaction network and explore the behavior of the system. This enables the identification of key species or reactions that significantly influence the network dynamics.

**Pathway Analysis:** By analyzing paths or routes within the reaction network, network analysis can uncover important reaction pathways and identify the most significant routes of transformation from reactants to products. Pathway analysis helps elucidate the underlying mechanisms and identify bottleneck reactions or key intermediates that control the overall reaction kinetics.

**Robustness and Resilience:** Network analysis allows for the assessment of the robustness and resilience of the reaction system. By analyzing the structural properties of the network, such as its degree distribution, connectivity, and redundancy, one can understand the system's ability to withstand perturbations, tolerate changes in reaction conditions, or recover from disruptions. This information is useful in designing and optimizing reaction systems for stability and efficiency.

**Network Visualization:** Network analysis facilitates visual representations of the reaction system, which aid in understanding and communicating complex reaction kinetics. Graphical visualization techniques, such as node-link diagrams or force-directed layouts, can highlight important features, such as highly connected nodes or clusters of reactions. Visual representations help in identifying patterns, trends, and relationships within the reaction network.

Network analysis of reaction kinetics provides a holistic perspective on the structure, dynamics, and behavior of complex reaction systems. It enables the identification of key components, pathways, and properties that govern the overall kinetics of the system. This approach is particularly valuable in the study of metabolic networks, biochemical pathways, and complex chemical reactions, where a systems-level understanding is crucial for unravelling the underlying mechanisms and optimizing reaction conditions.

### **Machine Learning in Reaction Kinetics**

Machine learning (ML) has emerged as a powerful approach for analyzing and predicting reaction kinetics. ML techniques leverage the large amounts of available data to extract patterns, make predictions, and gain insights into complex reaction systems. Here are some key applications of machine learning in reaction kinetics:

**Reaction Rate Prediction:** ML models can be trained to predict reaction rates based on input features such as reactant properties, reaction conditions, and catalyst characteristics. These models learn the relationships between the input variables and the reaction rates from experimental or computational data. ML algorithms such as regression, support vector machines, or neural networks can be utilized for accurate rate prediction, aiding in reaction optimization and catalyst design.

**Reaction Mechanism Identification:** ML can assist in elucidating reaction mechanisms by analyzing experimental data or theoretical calculations. ML algorithms can identify important intermediates, propose plausible reaction pathways, and rank the likelihood of different mechanisms. This can significantly speed up the discovery of reaction mechanisms, particularly for complex systems where manual exploration becomes challenging.

**Catalyst Screening and Design:** ML models can be trained to screen and design catalysts for specific reactions. By learning from a database of known catalysts and their performances, ML



algorithms can suggest new catalyst candidates with desirable properties, such as high activity, selectivity, or stability. This accelerates the catalyst discovery process and allows for targeted synthesis and testing.

**Reaction Optimization:** ML techniques can be applied to optimize reaction conditions and parameters for improved efficiency and selectivity. By training ML models on experimental data, they can provide insights into the optimal temperature, pressure, solvent, or reactant ratios that yield the desired reaction outcomes. ML-based optimization can reduce the need for extensive experimentation and enable more efficient process development.

**Data-Driven Kinetic Modeling:** ML can enhance kinetic modeling by extracting kinetic parameters from experimental data. ML algorithms can learn the relationships between reactant concentrations, reaction rates, and other experimental variables to estimate kinetic constants. These ML-derived kinetic models can capture complex reaction kinetics and facilitate accurate prediction of reaction behavior.

**Reaction Prediction and Discovery:** ML techniques can be employed to predict reaction outcomes and propose novel reactions. By learning from large reaction databases, ML models can suggest potential transformations based on reactant structures, reaction conditions, and known reaction patterns. This data-driven approach can aid in reaction discovery, guiding synthetic chemists towards new and efficient reaction pathways.

**Uncertainty Quantification:** ML algorithms can be utilized to quantify the uncertainty associated with reaction kinetics predictions. By incorporating Bayesian methods or ensemble learning techniques, ML models can provide not only point predictions but also probabilistic estimates, taking into account the variability and noise in the data. This enhances the reliability and robustness of reaction kinetics modeling.

Machine learning in reaction kinetics presents exciting opportunities to accelerate reaction discovery, optimize reaction conditions, and enhance our understanding of complex reaction systems. By leveraging the power of data-driven approaches, ML can provide valuable insights and assist in the development of more efficient and sustainable chemical processes.

### **Data-Driven Modeling**

**Role of Data-Driven Modeling in Reaction Kinetics:** Data-driven modeling plays a significant role in reaction kinetics by leveraging the power of available data to enhance our understanding, prediction, and optimization of chemical reactions. Here are some key aspects of the role of data-driven modeling in reaction kinetics:

**Capturing Complex Reaction Behavior:** Reaction kinetics can exhibit complex and non-linear behavior that is challenging to capture with traditional mechanistic models. Data-driven modeling approaches, such as machine learning and statistical techniques, can handle the complexity by learning from large datasets and capturing hidden patterns and relationships within the data. This enables the modeling of complex reaction kinetics and the identification of factors that influence reaction rates and selectivity.

**Predictive Modeling:** Data-driven models can make accurate predictions of reaction kinetics by learning from experimental data. By training on a wide range of reaction conditions, input variables, and reaction outcomes, these models can generalize and provide predictions for new scenarios. This is particularly useful when limited experimental data or incomplete understanding of the underlying mechanisms hinder the development of mechanistic models.

**Hypothesis Generation and Mechanism Exploration:** Data-driven modeling can assist in hypothesis generation and exploration of reaction mechanisms. By analyzing large datasets, these models can identify trends, correlations, and patterns that point to potential



reaction pathways, intermediates, or rate-determining steps. This aids in the formulation of mechanistic hypotheses and guides subsequent experimental or theoretical investigations.

**Kinetic Parameter Estimation:** Data-driven models can estimate kinetic parameters by fitting experimental data. By combining machine learning algorithms and optimization techniques, these models can infer rate constants, activation energies, and other kinetic parameters. This allows for more accurate kinetic modeling and prediction of reaction behavior under various conditions.

**Reaction Optimization and Design:** Data-driven models enable the optimization and design of reaction conditions for desired outcomes. By incorporating experimental data into the modeling process, these models can identify optimal reaction conditions, such as temperature, pressure, or reactant concentrations, that maximize reaction rates, selectivity, or yield. This helps in the efficient design and operation of chemical processes.

**Process Intensification and Scale-up:** Data-driven models can aid in process intensification and scale-up by predicting reaction kinetics at different scales and conditions. By incorporating data from laboratory-scale experiments or pilot plants, these models can provide insights into the scalability and robustness of reaction kinetics, enabling the efficient design and operation of industrial-scale processes.

Data-driven modeling in reaction kinetics complements mechanistic models by leveraging the power of available data to enhance our understanding and prediction of complex reaction behavior. By capturing hidden patterns, enabling accurate predictions, and guiding experimental investigations, data-driven models contribute to the advancement of reaction kinetics and the optimization of chemical processes.

### Statistical Techniques for Data Analysis

Statistical techniques play a crucial role in the analysis of data in reaction kinetics. They help to extract meaningful information, identify patterns, assess uncertainties, and make inferences about the underlying reaction behavior. Here are some common statistical techniques used in the data analysis of reaction kinetics:

**Descriptive Statistics:** Descriptive statistics provide a summary of the data, including measures of central tendency (mean, median) and variability (standard deviation, range). These statistics give an overview of the distribution of data points, providing insights into the typical values and spread of reaction rates or concentrations.

**Hypothesis Testing:** Hypothesis testing is used to make inferences about the reaction kinetics based on the available data. It involves formulating null and alternative hypotheses and performing statistical tests to assess the evidence against the null hypothesis. For example, hypothesis tests can be used to determine if there is a significant difference in reaction rates between different conditions or to assess the significance of the relationship between reaction parameters.

**Regression Analysis:** Regression analysis is used to model the relationship between reaction rates or concentrations and predictor variables. It helps to identify and quantify the influence of independent variables on the dependent variable. Simple linear regression, multiple regression, and non-linear regression are commonly used techniques in reaction kinetics to estimate kinetic parameters, assess the impact of reaction conditions, or predict reaction outcomes.

**Analysis of Variance (ANOVA):** ANOVA is used to analyze the variance in reaction rates or concentrations across different groups or levels of a categorical variable. It helps to determine if there are significant differences in reaction behavior among different experimental conditions or factors. ANOVA can be useful in





assessing the effect of factors such as temperature, catalyst type, or reactant concentration on reaction kinetics.

**Time-Series Analysis:** Time-series analysis is employed when the data collected in reaction kinetics are sequential over time. It involves analyzing patterns, trends, and seasonality in the time-dependent data. Time-series techniques such as autoregressive integrated moving average (ARIMA) models, exponential smoothing, or Fourier analysis can be used to forecast future reaction rates or concentrations and identify temporal patterns in the data.

**Principal Component Analysis (PCA):** PCA is a dimensionality reduction technique used to identify the most significant variables or patterns in a dataset. In reaction kinetics, PCA can help to identify the principal components that explain the majority of the variance in the data. This can aid in identifying key reaction parameters, reducing the dimensionality of the data, and visualizing the relationships between variables.

**Uncertainty Analysis:** Uncertainty analysis is used to quantify and propagate uncertainties in reaction kinetics modeling. Techniques such as Monte Carlo simulation, bootstrapping, or sensitivity analysis can be employed to assess the uncertainty in the estimated kinetic parameters, reaction rates, or predicted outcomes. This provides a measure of confidence and allows for the assessment of the robustness of the reaction kinetics models.

Statistical techniques are essential for analyzing and interpreting the data obtained from experimental measurements or computational simulations in reaction kinetics. They enable researchers to extract meaningful information, validate models, and make informed decisions based on the available data. By applying these statistical tools, researchers can enhance their understanding of reaction kinetics, optimize reaction conditions, and improve the reliability of predictions.

### Genetic Algorithms in Reaction Kinetics

Genetic algorithms (GAs) are optimization techniques inspired by the principles of natural evolution and genetics. They have been successfully applied in reaction kinetics to explore reaction pathways, optimize reaction conditions, and estimate kinetic parameters. Here is an overview of how genetic algorithms are used in reaction kinetics:

#### Optimization of Reaction Conditions:

Genetic algorithms can be employed to optimize reaction conditions for desired outcomes. By defining an objective function that quantifies the desired reaction performance (e.g., maximum yield, selectivity, or conversion), GAs can search for optimal values of reaction parameters such as temperature, pressure, reactant concentrations, or catalyst properties. The algorithm evolves a population of potential solutions over multiple generations, using selection, crossover, and mutation operations to simulate the process of natural selection. This iterative process helps to identify the most favorable reaction conditions that maximize the desired objective.

#### Reaction Pathway Exploration:

Genetic algorithms can aid in exploring reaction pathways and identifying key intermediates or steps. By considering a set of potential reaction pathways and using fitness criteria to evaluate their plausibility, GAs can search for the most likely pathways that are consistent with experimental data or theoretical considerations. This can be particularly useful when the reaction mechanism is not well-known or when there are multiple possible reaction pathways.

#### Kinetic Parameter Estimation:

Genetic algorithms can be utilized to estimate kinetic parameters by fitting experimental data. The algorithm searches for the combination of parameters that best matches the experimental data, minimizing the difference between the model predictions and the observed values. GAs can optimize the parameter values by iteratively adjusting them through the selection, crossover, and mutation operations. This allows



for the estimation of kinetic rate constants, activation energies, or other parameters in reaction kinetics models.

**Model Selection and Calibration:** Genetic algorithms can assist in model selection and calibration by comparing different reaction kinetics models and finding the most appropriate model for a given set of experimental data. The algorithm evaluates the fitness of each model by assessing how well it fits the experimental data and penalizes models with a poor fit. By considering different models and their parameter sets, GAs can identify the model that best represents the observed reaction behavior.

**Sensitivity Analysis:** Genetic algorithms can perform sensitivity analysis to identify the most influential kinetic parameters or reaction conditions. By perturbing the parameter values or reaction conditions and evaluating the resulting changes in the model predictions, GAs can rank the parameters or conditions based on their impact on the desired objective. This helps in understanding the robustness of the model and identifying the factors that significantly affect the reaction kinetics.

Genetic algorithms offer several advantages in reaction kinetics. They can handle complex and nonlinear optimization problems, search for large solution spaces, and provide global optimization by exploring multiple regions of the parameter space. However, GAs also have some limitations, such as the potential for getting trapped in local optima or the computational complexity of searching for large solution spaces. Overall, genetic algorithms provide a powerful and flexible approach for optimization, pathway exploration, and parameter estimation in reaction kinetics. They can assist in optimizing reaction conditions, identifying reaction pathways, estimating kinetic parameters, and understanding the key factors that influence the reaction behavior.

### Case Studies of Data-Driven Modeling

Data-driven modeling has gained significant attention in reaction kinetics as a powerful tool for analyzing and predicting reaction behavior based on experimental data. Here are a few case studies highlighting the application of data-driven modeling in reaction kinetics:

**Predicting Reaction Rates with Machine Learning:** In a study published in the Journal of the American Chemical Society, researchers used machine learning techniques to predict reaction rates of organic molecules. They trained a regression model using a dataset of reaction rates and molecular descriptors, and the model successfully predicted reaction rates for new molecules with high accuracy. This approach enabled the rapid screening and prediction of reaction rates, facilitating the discovery of new reactions and reaction conditions.

**Quantitative Structure-Activity Relationship (QSAR) Modeling:** QSAR models have been widely used in reaction kinetics to establish correlations between molecular structure and reaction rates. For example, in a study focused on the hydrolysis of esters, researchers developed a QSAR model based on a dataset of ester hydrolysis rates and molecular descriptors. The model identified key molecular features influencing the reaction kinetics and provided insights into the underlying reaction mechanism.

### Optimization of Reaction Conditions using Response Surface Methodology (RSM):

Response surface methodology is a statistical approach used to optimize reaction conditions based on experimental data. In a study on the synthesis of metal-organic frameworks, researchers employed RSM to optimize reaction conditions such as temperature, reactant concentrations, and reaction time. The model, built using experimental data, enabled the identification of optimal reaction conditions that maximized the yield and purity of the desired product.



### **Kinetic Parameter Estimation using Nonlinear Regression:**

Nonlinear regression techniques have been widely used to estimate kinetic parameters in reaction kinetics. In a study investigating the oxidation of alcohols, researchers used a nonlinear regression model to estimate the rate constant and activation energy. They performed experiments at different temperatures and analyzed the data using the model to obtain accurate estimates of the kinetic parameters, enabling a deeper understanding of the reaction kinetics.

### **Kinetic Modeling using Artificial Neural Networks (ANNs):**

Artificial neural networks have been employed to model reaction kinetics and predict reaction outcomes. In a study on the catalytic hydrogenation of alkenes, researchers developed an ANN-based model using a dataset of reaction conditions and product yields. The model accurately predicted the product yields for new reaction conditions, providing insights into the reaction mechanism and facilitating the optimization of reaction conditions for desired product selectivity.

These case studies highlight the diverse applications of data-driven modeling in reaction kinetics, including the prediction of reaction rates, QSAR modeling, optimization of reaction conditions, kinetic parameter estimation, and modeling using artificial neural networks. These approaches leverage the power of data analysis and machine learning techniques to enhance our understanding of reaction kinetics and enable the discovery and optimization of chemical reactions.

## **Multi-scale Modeling**

### **Overview of Multi-scale Modeling**

Multiscale modeling in reaction kinetics involves the integration of models at different levels of detail and spatial scales to capture the complex behavior of chemical reactions. It allows for a more comprehensive understanding of reaction mechanisms and

kinetics by considering the interactions and dynamics at multiple scales. Here is an overview of multi-scale modeling in reaction kinetics:

**Molecular Level:** At the molecular level, models such as quantum mechanics (QM) or molecular dynamics (MD) simulations are used to study the detailed interactions and dynamics of individual molecules during a chemical reaction. These models provide insights into bond breaking, formation, and rearrangement, as well as the energy profiles and transition states associated with reaction pathways.

**Atomistic Level:** The atomistic level involves modeling reactions at the scale of atoms and small molecules. Techniques such as classical MD simulations and *ab initio* molecular dynamics (AIMD) are employed to simulate the behavior of thousands to millions of atoms, allowing for the exploration of reaction kinetics in complex systems. These models can provide information about reaction rates, energy barriers, and reaction pathways at the atomistic scale.

**Mesoscale Level:** The mesoscale level bridges the gap between the atomistic and macroscopic scales. It focuses on phenomena occurring at an intermediate scale, such as the formation and growth of aggregates, clusters, or nanoparticles. Coarse-grained models and kinetic Monte Carlo simulations are commonly used at this level to capture collective behavior, diffusion, and aggregation kinetics.

**Reactor Scale:** The reactor scale involves modeling reactions in larger-scale systems, such as reactors or industrial processes. Computational fluid dynamics (CFD) simulations are employed to simulate the fluid flow, heat transfer, and reaction kinetics within a reactor. These models consider mass and energy transport, as well as reaction kinetics, to predict the behavior of reactions in complex reactor geometries and operating conditions.

**System-Scale Modeling:** System-scale modeling integrates information from multiple scales to capture the overall behavior of



complex reaction networks. It combines data and models from different levels to develop comprehensive kinetic models that can describe the entire reaction network. Techniques such as network analysis, kinetic Monte Carlo, or rate equation-based models are utilized to simulate the time evolution and steady-state behavior of complex reaction networks.

Multi-scale modeling in reaction kinetics allows for a more complete understanding of reaction mechanisms, kinetics, and the impact of different scales on the overall behavior of chemical reactions. It enables the exploration of phenomena occurring at different levels, from individual molecules to reactor-scale processes. By integrating models across scales, researchers can gain insights into the underlying mechanisms, predict reaction rates, optimize reaction conditions, and design efficient chemical processes. Multiscale modeling plays a vital role in bridging the gap between molecular-level details and macroscopic behavior, facilitating the development and optimization of chemical reactions and processes.

**Coupling Molecular Dynamics Simulations with Continuum Models:** Coupling molecular dynamics (MD) simulations with continuum models in reaction kinetics is a powerful approach to bridge the gap between atomistic-level details and macroscopic behavior. It allows for the incorporation of molecular-level information obtained from MD simulations into larger-scale continuum models to capture the behavior of chemical reactions. Here is an overview of the coupling between MD simulations and continuum models in reaction kinetics:

**Atomistic-level Simulation:** MD simulations are performed to study the behavior of individual atoms and molecules during a chemical reaction. MD simulations track the positions, velocities, and interactions of atoms over time, providing insights into bond breaking, formation, and rearrangement, as

well as the energy profiles and transition states associated with reaction pathways.

**Reactive Force Fields:** Reactive force fields are used to describe the interactions between atoms during chemical reactions in MD simulations. These force fields include additional terms to account for bond breaking, bond formation, and chemical reactions. They are typically parameterized based on quantum mechanical calculations or experimental data, enabling the simulation of bond breaking, reactive collisions, and reaction dynamics.

**Transition State Theory (TST):** Transition state theory is employed to calculate the rate constants and reaction rates based on the energy barriers obtained from MD simulations. TST provides a theoretical framework for estimating the rate of a chemical reaction by considering the transition state, which is the highest-energy configuration along the reaction pathway. By incorporating the energy barriers obtained from MD simulations, TST can provide insights into the kinetics and energetics of the reaction.

**Kinetic Monte Carlo (KMC) Simulations:** Kinetic Monte Carlo simulations are used to simulate the time evolution of a reaction network based on the rates obtained from MD simulations. KMC simulations employ probabilistic algorithms to simulate the stochastic nature of chemical reactions. By using the rate constants calculated from MD simulations, KMC simulations can predict the kinetics and reaction pathways in larger-scale systems.

**Continuum Models:** Continuum models, such as reaction-diffusion equations or reaction rate equations, are used to describe the behavior of chemical reactions at larger length and time scales. These models consider macroscopic variables, such as concentrations or reaction rates, and can capture the collective behavior of a large number of molecules. By incorporating the rate constants and reaction pathways obtained from MD simulations, continuum models can predict the behavior of chemical



reactions in more complex systems, such as reaction in solution or on surfaces.

**Multiscale Coupling:** The coupling between MD simulations and continuum models involves the transfer of information and parameters between the two scales. This can be achieved through methods such as the reactive flux method, where reaction rates obtained from MD simulations are used as input for continuum models. Other approaches include the use of coarse-grained models or the development of hybrid models that combine MD simulations with continuum descriptions in specific regions of interest.

The coupling between MD simulations and continuum models in reaction kinetics allows for a more comprehensive understanding of reaction mechanisms, kinetics, and the impact of molecular-level details on the overall behavior of chemical reactions. It provides a bridge between atomistic-level simulations and macroscopic behavior, enabling the prediction and optimization of chemical reactions in complex systems. This approach has applications in fields such as catalysis, materials science, and biological systems, where understanding the molecular-scale behavior is crucial for predicting and controlling reaction kinetics.

**Applications of Mathematical Modeling in Reaction Kinetics Catalysis:** Catalysis is a fundamental process in which a catalyst enhances the rate of a chemical reaction by lowering the activation energy. Mathematical modeling of catalysis plays a crucial role in understanding and optimizing catalytic processes. Catalytic reactions often occur in heterogeneous systems, where the reactants and catalyst are in different phases (e.g., gas-solid or liquid-solid). Mass and heat transfer play a vital role in these systems. Models for mass transfer involve describing the transport of reactants to the catalyst surface and the subsequent desorption of products. Heat transfer models account for the temperature distribution within the catalytic system,

considering factors like heat conduction, convection, and possibly radiation. The Langmuir-Hinshelwood mechanism is a commonly used model to describe heterogeneous catalysis. It assumes that reactant molecules adsorb onto the catalyst surface, react on the surface to form products, and then desorb back into the bulk phase. The adsorption and desorption steps are often described by Langmuir isotherms, while the surface reaction is represented by rate equations that consider the adsorbed species' concentrations and reaction rates.

Reaction-diffusion equations are employed when there is a spatial distribution of reactants and catalysts. These equations describe how the concentrations of species change over time due to diffusion and reaction. The reaction-diffusion equations incorporate diffusion coefficients, reaction rate constants, and boundary conditions to simulate the behavior of catalytic systems with spatial variations. To make the mathematical model more accurate, parameter estimation techniques are used to determine the values of unknown parameters. Nonlinear regression or optimization algorithms is used to best fit the experimental data observe the behavior. Sensitivity analysis helps identify the most influential parameters in the catalytic model and provides insights into the model's behavior. It helps in understanding the effects of variations in parameters on the reaction kinetics and guides further experiments or optimization efforts. Optimization techniques can be applied to determine optimal reaction conditions, such as temperature, pressure, or reactant concentrations, to maximize the desired product yield or selectivity.

**Pharmaceuticals:** Mathematical models play a crucial role in the pharmaceutical industry, supporting various aspects of drug development, optimization, and decision-making. Pharmacokinetics (PK) modeling describe the absorption, distribution, metabolism, and excretion (ADME) of drugs in



the body. These models help understand the drug's behavior in terms of its concentration over time in different organs and tissues. PK modeling aids in predicting drug concentrations, determining optimal dosage regimens, estimating drug clearance rates, and assessing drug-drug interactions. Pharmacodynamics (PD) modelling describe the relationship between drug concentration and its pharmacological effect. They help understand the drug's mechanism of action, dose-response relationships, and therapeutic efficacy. PD models assist in predicting the onset and duration of drug effects, optimizing dosing strategies, and evaluating drug potency and safety. Mathematical models are also used to study the interactions between multiple drugs in combination therapy. These models help predict potential drug interactions, assess their impact on drug efficacy and safety, and guide dose adjustments to minimize adverse effects and maximize therapeutic outcomes.

Mathematical models are used to optimize drug formulation and control drug release profiles from pharmaceutical dosage forms. These models consider factors such as drug dissolution, diffusion, and chemical stability. By simulating drug release under different conditions, models aid in formulating dosage forms with desired release kinetics, improving drug bioavailability, and ensuring consistent drug delivery.

Mathematical models help in designing and optimizing clinical trials. They aid in determining sample sizes, treatment arms, dosing schedules, and statistical analysis plans. By simulating different scenarios, models assist in optimizing trial designs to increase statistical power, minimize costs, and enhance the likelihood of obtaining reliable and meaningful results. Mathematical models are used in pharmaceutical manufacturing to optimize processes and ensure product quality. Models aid in process scale-up, optimizing operating conditions, and predicting the impact of process variables on product attributes. They help

maintain consistent product quality, improve process efficiency, and reduce waste and production costs. Mathematical models support the prediction and assessment of drug safety and toxicity. These models integrate data on drug properties, exposure levels, and biological effects to estimate potential adverse effects, such as organ toxicity or drug-induced liver injury. They aid in evaluating the safety profile of drugs, guiding dose selection, and facilitating early identification of potential safety concerns.

### **Environmental Chemistry**

Mathematical models are extensively used in environmental chemistry to study and understand various processes and phenomena occurring in the environment. These models help assess the fate and transport of pollutants, predict environmental impacts, and inform decision-making for pollution control and environmental management. Mathematical modelling can especially be used to simulate the fate and transport of pollutants in different environmental compartments, such as air, water, soil, and sediment. These models incorporate chemical reactions, physical processes (e.g., diffusion, advection), and environmental parameters to predict the movement and transformation of pollutants. Mathematical models are employed to study chemical reactions and processes occurring in the atmosphere. Atmospheric chemistry models simulate the formation and transformation of pollutants, such as ozone, nitrogen oxides, volatile organic compounds, and aerosols. These models help understand the atmospheric composition, predict air quality, and assess the impacts of emissions from various sources (e.g., industrial activities, transportation) on regional and global scales. Water quality and behavior of water bodies, including lakes, rivers, and coastal areas can also be assessed by mathematical modeling. Water quality models incorporate hydrodynamics, chemical reactions, and transport processes to predict



pollutant concentrations, nutrient dynamics, and oxygen depletion.

### **Future Perspectives and Challenges**

#### **Emerging Trends in Reaction Kinetics**

**Modeling:** Reaction kinetics modeling is a dynamic field that continues to evolve with advancements in computational methods, experimental techniques, and theoretical approaches such as multiscale modelling, quantum mechanics/molecular mechanics (QM/MM) Modeling, machine learning and artificial intelligence (AI), big data and data-driven approaches, uncertainty quantification, reaction network analysis, and integration of experimental and computational approaches. These emerging trends in reaction kinetics modeling are driven by the need to tackle complex reaction systems, enhance predictive capabilities, and leverage the power of computational and data-driven approaches. These advancements hold great potential for accelerating the discovery, design, and optimization of chemical reactions in various scientific and industrial applications.

#### **Challenges and Limitations of Mathematical Modeling:**

While mathematical modeling in reaction kinetics offers numerous advantages, there are also several challenges and limitations such as that researchers face. Here are some of the key challenges and limitations:

**Complexity and Nonlinearity:** Chemical reactions can exhibit complex and nonlinear behavior, making it challenging to develop accurate mathematical models. Nonlinearities arise from factors such as rate dependencies on reactant concentrations, temperature, and pressure. Modeling these complexities requires sophisticated mathematical techniques and may necessitate simplifications and assumptions that can affect the model's accuracy.

**Parameter Estimation:** Determining accurate values for model parameters, such as rate constants and reaction orders, is often challenging. Experimental data used for parameter estimation can be limited, noisy, or subject to uncertainties. Estimating parameters

from limited data can lead to ambiguity and result in less reliable predictions. Additionally, the presence of multiple competing reaction pathways further complicates parameter estimation.

**Data Availability and Quality:** The availability of high-quality data for model development and validation can be a significant limitation. Obtaining experimental data with high precision and accuracy can be challenging and expensive, especially for complex reaction systems or in situ measurements. Inadequate or incomplete data can limit the model's accuracy and hinder its application to real-world scenarios.

**Model Validation and Predictive Capability:** Validating mathematical models against experimental data is crucial for assessing their reliability and predictive capability. However, obtaining comprehensive and reliable experimental data for validation can be difficult. Models that fit existing data well may not always accurately predict the behavior of the system under different conditions or for new reactions. Thus, ensuring the predictive power of models remains a challenge.

**Scale-up and Transferability:** Scaling up mathematical models from laboratory-scale reactions to industrial-scale processes can be complex. The behavior of reactions can vary due to changes in reaction conditions, reactor design, and mass and heat transfer characteristics. Transferring models between different reaction systems and conditions requires careful consideration of scaling parameters and the impact of different operating regimes.

**Computational Complexity and Resources:** Modeling complex reaction systems often requires substantial computational resources and time. Detailed mechanistic models that account for molecular-level interactions can be computationally intensive, limiting their applicability to large-scale systems or real-time simulations. Balancing model complexity and



computational efficiency is a continuous challenge in reaction kinetics modeling.

**Lack of Mechanistic Understanding:** In some cases, the underlying reaction mechanisms and kinetics may not be well understood or characterized. This lack of mechanistic understanding can hinder the development of accurate mathematical models. In such situations, empirical or data-driven approaches may be used, but these models may have limited explanatory power and may not capture the underlying physics or chemistry.

**Sensitivity to Initial Conditions:** Reaction kinetics models can be sensitive to initial conditions, making accurate determination of initial concentrations and conditions crucial. Small variations in initial conditions can lead to significant differences in the model predictions. This sensitivity can pose challenges in experimental reproducibility and model consistency.

Despite these challenges and limitations, mathematical modeling in reaction kinetics continues to play a vital role in understanding and predicting chemical reactions. Researchers actively work to overcome these limitations by refining models, improving parameter estimation techniques, utilizing advanced computational methods, and seeking interdisciplinary collaborations to address complex reaction systems. By acknowledging and addressing these challenges, researchers can enhance the accuracy, reliability, and applicability of mathematical models in reaction kinetics.

### Conclusion

In conclusion, mathematical modeling has emerged as a powerful tool for studying and understanding reaction kinetics. This critical review article provided an in-depth overview of recent developments in mathematical modeling of reaction kinetics, highlighting its importance, objectives, and various techniques involved. The study highlighted the significance of mathematical modeling in

unravelling the complexities of chemical reactions, designing optimal reaction conditions, and predicting reaction rates. It emphasized the role of ordinary and partial differential equations in capturing the dynamics of reaction systems and discussed the limitations and challenges associated with modeling reaction kinetics. The review article has also explored emerging trends in the field, including the integration of experimental and computational approaches, data-driven modeling, multiscale modeling, and the use of machine learning and artificial intelligence techniques. These trends are shaping the future of reaction kinetics modeling, enabling more accurate predictions, faster simulations, and improved understanding of reaction mechanisms. Furthermore, the review article has discussed the interdisciplinary nature of reaction kinetics modeling and emphasized the importance of collaboration between researchers from diverse fields. Such collaborations foster the exchange of knowledge, expertise, and perspectives, leading to advancements in model development, parameter estimation, and validation.

### References

- Chudinova A, Salischeva A, Ivashkina E, Moizes O and Gavrikov A (2015) Application of Cumene Technology Mathematical Model. *Procedia Chemistry* **15**:326-334.
- Coltrin ME, Kee RJ and Miller JA (1984) A Mathematical Model of the Coupled Fluid Mechanics and Chemical Kinetics in a Chemical Vapor Deposition Reactor. *Journal of The Electrochemical Society* **131** (2):425.
- Ermolaev GV, Kovalev OB, Orishich AM and Fomin VM (2006) Mathematical modelling of striation formation in oxygen laser cutting of mild steel. *Journal of Physics D: Applied Physics* **39** (19):4236.
- Evje S, Hiorth A, Madland MV and Korsnes RI (2009) A mathematical model relevant for weakening of chalk reservoirs due to chemical reactions. *Networks and Heterogeneous Media* **4** (4):755-788.





- Ichikawa T and Miura M (2007) Modified model of alkali-silica reaction. *Cement and Concrete Research* **37** (9):1291-1297.
- Ivanchina E, Ivashkina E and Nazarova G (2017) Mathematical modelling of catalytic cracking riser reactor. *Chemical Engineering Journal* **329**:262-274.
- Ivanov DV and Zverev SG (2017) Mathematical Simulation of Processes in ICP/RF Plasma Torch for Plasma Chemical Reactions. *IEEE Transactions on Plasma Science* **45** (12):3125-3129.
- Jangara H, Shayesteh K and Asl MS (2020) Mathematical modeling of absorption accompanied by a non-elementary reversible chemical reaction. *Chemical Engineering Research and Design* **157**:58-64.
- Kahyarian A and Nestic S (2020) On the mechanism of carbon dioxide corrosion of mild steel: Experimental investigation and mathematical modeling at elevated pressures and non-ideal solutions. *Corrosion Science* **173**:108719.
- Khan Z, Rasheed HU, Khan I, Abu-Zinadah H and Aldahlan MA (2022) Mathematical Simulation of Casson MHD Flow through a Permeable Moving Wedge with Nonlinear Chemical Reaction and Nonlinear Thermal Radiation. *Materials* **15** (3):747.
- Liu Y and Sumpter DJ (2018) Mathematical modeling reveals spontaneous emergence of self-replication in chemical reaction systems. *Journal of Biological Chemistry* **293** (49):18854-18863.
- Martynenko A and Zozulya VV (2022) Mathematical modeling of the cardiac tissue. *Mechanics of Advanced Materials and Structures* **29** (25):4506-4522.
- Munck L, Jespersen BM, Rinnan Å, Seefeldt HF, Engelsen MM, Nørgaard L, and Engelsen SB (2010) A physiochemical theory on the applicability of soft mathematical models—experimentally interpreted. *Journal of Chemometrics* **24** (7-8):481-495.
- Rudakov D and Sobolev V (2019) A Mathematical model of gas flow during coal outburst initiation. *International Journal of Mining Science and Technology* **29** (5):791-796.
- Safin R, Barcik S, Tuntsev D, Safin R and Hismatov R (2016) A Mathematical model of thermal decomposition of wood in conditions of fluidized bed. *Acta Facultatis Xylogologiae Zvolen res Publica Slovaca* **58** (2):141.
- Salmi T (2013) Chapter Four - Chemical Reaction Engineering of Biomass Conversion. In Dmitry Yu Murzin (ed.), *Advances in Chemical Engineering*: Academic Press. pp. 195-260.
- Saouma VE, Martin RA, Hariri-Ardebili MA and Katayama Tetsuya (2015) A mathematical model for the kinetics of the alkali-silica chemical reaction. *Cement and Concrete Research* **68**:184-195.
- Talanquer V (2018) Importance of Understanding Fundamental Chemical Mechanisms. *Journal of Chemical Education* **95** (11):1905-1911.
- Tropin DA and Fedorov AV (2014) Mathematical Modeling of Detonation Wave Suppression by Cloud of Chemically Inert Solid Particles. *Combustion Science and Technology* **186** (10-11):1690-1698.
- Varshney G, and Katiyar VK (2008) Mathematical Modeling and Numerical Simulation of Drug Release in Stented Artery. *Int. J. of Appl. Math and Mech.* **4**:91-102.
- Vincenzo AD and Floriano MA (2020) Elucidating the Influence of the Activation Energy on Reaction Rates by Simulations Based on a Simple Particle Model. *Journal of Chemical Education* **97** (10):3630-3637.
- Yin K-M, Yeu T and White RE (1991) A Mathematical Model of Electrochemical Reactions Coupled with Homogeneous Chemical Reactions. *Journal of The Electrochemical Society* **138** (4):1051.
- Zhang T and Klapper I (2010) Mathematical model of biofilm induced calcite precipitation. *Water Science and Technology* **61** (11):2957-2964.